





PHYSICAL HARDWARE

Form Factor	Tenable.ot Appliance 	Tenable.ot Rack-Mount Sensor 	Tenable.ot DIN Rail Sensor 	Tenable.ot Enterprise Manager 
HARDWARE SPECIFICATIONS				
CPU	Intel® Xeon™ D1548, 2.0 GHz	Intel® Xeon™ D1548, 2.0 GHz	Intel® Atom™ E3845, 1.91GHz	Intel® Xeon™ D1548, 2.0 GHz
Cores Number	16	2	4	16
Gigabit Ethernet LAN Communications Ports (copper, RJ-45) 10/100/1000 Mbps	4	4	5	4
Fiber optics communication ports	4 (Optional)	N/A	N/A	4 (Optional)
Memory	2 X 32GB DDR4, 2400 MHz	1 X 4GB DDR3, 1333 MHz	1 X 4GB DDR3, 1067 MHz	2 X 32GB DDR4, 2400 MHz
USB	2 x USB 2.0	2 x USB 2.0	1x USB 3.0 / 1x USB 2.0	2 x USB 2.0
STORAGE				
Data	2 x 2TB Fixed SATA3 HDD	N/A	N/A	2 x 2TB Fixed SATA3 HDD
OS	1 X 64 GB SSD	1 X 64 GB SSD	1 X 64 GB SSD	1 X 64 GB SSD
MECHANICAL				
Dimensions (WxHxD)	438 x 44 x 321 mm 17.2 x 1.73 x 12.64 in	177 x 44 x 145.5 mm 7 x 1.73 x 5.7 in	78 x 146 x 127 mm 3 x 5.75 x 5 in	438 x 44 x 321 mm 17.2 x 1.73 x 12.64 in
Weight	7.5 kg / 16 lbs	1.2 kg / 2.65 lbs	1.25 kg / 2.75 lbs	7.5 kg / 16 lbs
POWER				
Supply	220W; Single PS	36W; External power adapter	36W; Phoenix contact 2/6-pin connector w/ lock	220W; Single PS
Voltage	Input AC 90~264V	100~240V	Dual 12 ~ 36 Vdc	Input AC 90~264V
COOLING				
Processor	CPU heatsink with fan duct	Passive CPU heatsink	Passive CPU heatsink	CPU heatsink with fan duct
System	2 X cooling fans	Fanless design with corrugated aluminum	Fanless design with corrugated aluminum	2 X cooling fans
ENVIRONMENTAL				
Operating Temperature	0 ~ 40°C / 32 ~104°F	0 ~ 40°C / 32 ~104°F	-40 ~ 70°C / -40 ~158°F	0 ~ 40°C / 32 ~104°F
Storage Temperature	-20~70° C / -4 ~158°F	-20~70° C / -4 ~158°F	-40 ~ 85°C / -40 ~185°F	-20~70° C / -4 ~158°F
Relative Humidity	5% ~ 90%	5% ~ 90%	5% ~ 95	5% ~ 90%
CERTIFICATIONS				
EMC	CE Class A, FCC Class A, RoHS	CE Class B, FCC Class B, RoHS, UL	CE Class A, FCC Class A	CE Class A, FCC Class A, RoHS

*Comparable alternative hardware solutions may be used to accommodate safety and EMC certification requirements of specific countries.

For More Information: Please visit tenable.com | **Contact Us:** Please email us at sales@tenable.com or visit tenable.com/contact